

AKHBAR : HARIAN METRO
MUKA SURAT : 9
RUANGAN : LOKAL



KEADAAN lori yang terlanggar tiang elektrik menyebabkan kebakaran bilik penjana.

Bilik penjana HTJ terbakar lori bawa bahan binaan langgar kabel elektrik

Seremban: Sebuah lori membawa bahan binaan yang tersangkut pada tiang kabel menjadi punca bilik penjana yang membekalkan elektrik ke Hospital Tuanku Ja'afar (HTJ) di sini, terbakar mendadak.

Komander Operasi Kanan Jabatan Bomba dan Penyelamat Malaysia (JBPM) Negeri Sembilan, PgKB II Khir Amir Ahmad berkata, pihaknya menerima panggilan berhubung kejadian

itu jam 12.40 tengah hari kelmarin.

"Sebaik tiba di lokasi kejadian didapati berlaku kebakaran membabitkan bilik penjana elektrik yang musnah kira-kira 40 peratus.

"Bagaimanapun, kejadian itu tidak membabitkan mangsa dan anggaran kerugian masih dalam siasatan," katanya, semalam.

Beliau berkata, punca kebakaran berikutan sebuah lori dipercayai membawa

bahan binaan melalui kawasan itu tersangkut pada kabel elektrik menyebabkan tiang kabel terbabit patah.

Khir Ahmad berkata, operasi pemadaman membabitkan 13 anggota itu tamat jam 1.30 tengah hari.

Sementara itu Pengarah Kesihatan Negeri, Datuk Dr Harlina Abdul Rashid berkata, kebakaran menyebabkan berlaku gangguan bekalan elektrik di bangunan

utama hospital.

Beliau berkata, pihaknya mengaktifkan pelan kecemasan bagi memastikan bekalan elektrik tidak menjejaskan rutin perkhidmatan.

"Pihak HTJ juga mengaktifkan Pelan Kesenambungan Perkhidmatan (*Business Continuity Plan*) bagi memastikan sebarang penyampaian perkhidmatan di hospital tidak terjejas," katanya.

AKHBAR : HARIAN METRO

MUKA SURAT : 12

RUANGAN : LOKAL

Hospital Tuanku Ja'afar Seremban alami kesesakan katil rawatan

Seremban: Kesesakan katil luar biasa di wad Hospital Tuanku Ja'afar Seremban (HTJS) mencetus kebimbangan orang ramai yang mahu mendapatkan rawatan di hospital berkenaan.

Tinjauan wartawan di ruangan Pendaftaran Kecemasan mendapati ramai dikalangan pesakit tidak dapat diletakkan di wad sepatutnya akibat bilik wad penuh.

Menurut pesakit, Abdul Wahab Harun, 51, dia sepatutnya dimasukkan ke wad selepas mengalami luka teruk di kaki akibat terluka dan mengidap kencing manis.

"Kaki saya di bahagian tumit luka akibat kecederaan kemalangan dan lebih parah lagi luka itu semakin dalam akibat penyakit kencing manis dihidapi sejak lima tahun lalu.

"Saya datang sendiri dengan menaiki motosikal untuk menerima rawatan



PESAKIT menunggu untuk mendapatkan rawatan.

sebelum dimaklumkan perlu ditahan di wad. Namun sudah lebih lima jam saya tersadai di sini berikutan wad sudah penuh," katanya yang datang dari Rembau.

Seorang lagi pesakit, Ruminah Abu Hassan, 49, meluahkan rasa pelik apabila dimaklumkan wad sudah penuh oleh pegawai perubatan hospital berkenaan.

"Doktor memberitahu saya perlu ditahan di wad akibat penyakit dalam perut. Namun saya perlu me-

nunggu dahulu berikutan katil wad sudah penuh," katanya.

Pesara tentera, Mohd Radzi Ahmad, 53, turut terkejut selepas dimaklumkan pegawai perubatan yang bertugas bahawa wad pesakit sudah penuh.

"Pihak hospital meminta pesakit menunggu bagi mendapatkan katil kosong.

"Senarai menunggu sudah ramai dan dalam masa sama pesakit yang mendaftar semakin bertambah setiap jam," katanya.

AKHBAR : THE STAR

MUKA SURAT : 6

RUANGAN : NATION

Beware flu bug during the holidays

Young children at greater risk of mycoplasma pneumonia, say experts

By LO TERN CHERN
andylo@thestar.com.my

GEORGE TOWN: Health experts warn that only prompt treatment can stop damage to the respiratory tract in severe cases caused by mycoplasma pneumonia, with reports of the illness on the rise, especially among young children, due to the year-end holidays.

Universiti Sains Malaysia family medicine specialist Dr Mastura Mohd Sopian said 40% of those who catch this bacterial "flu" tend to be young children and that most are mild cases that can be treated with the correct antibiotics.

"However, in severe cases, it can cause respiratory distress as well as anaemia, heart failure and shock.

"General practitioners should advise parents to seek further medical assistance if the symptoms worsen," she said.

Dr Mastura said most children with symptoms of respiratory infections end up being proven to have mycoplasma pneumonia through serology tests.

Paediatrician Datuk Dr Siti Khadijah Tun Hamdan said although mycoplasma pneumonia has always been around, she believes that the reported rise in cases was due to more tests being done to detect it.

"Mycoplasma pneumonia is highly contagious and its symptoms are not specific, so someone might even be walking around with it without symptoms.

"Often when diagnosed, X-ray imaging on the chest reveals its severity.

"Those with symptoms like having a flu for over a week,



Importance of hygiene: Whytehouse Education Group director Catherine Fong (right) applying hand sanitiser on kindergarten pupils' hands in Bayan Baru. — LIM BENG TATT/The Star

should seek further medical attention.

"Mycoplasma pneumonia can last for weeks if the immunity of a patient is low, hence proper treatment is crucial to cure and stop the spread," she said.

Whytehouse Education Group founder and executive director Jerry Yeoh said a spike in children getting sick during the holiday season was usual, but this should never be taken lightly.

"Sometimes, those with higher immunity are just carriers of diseases and may not necessarily fall ill," said Yeoh, who operates four kindergartens in Penang.

"We rely a lot on feedback

from parents, such as their travel history or diagnosis from doctors."

He added that sanitisation procedures introduced during the Covid-19 pandemic were still in place as they had proven effective.

"Sometimes, the challenge is that parents would send their children who seem to be healthy, but their symptoms only appear while they are in school.

"We would then have to isolate the children and have them put on a face mask until their parents pick them up," said Yeoh.

Penang health committee chair-

man Daniel Gooi confirmed that Penang has seen an increase in mycoplasma pneumonia with most cases being mild.

"Yes, we do have such cases in Penang. However, not all of them are diagnosed or admitted, and not all diagnoses are lab-confirmed.

"Many are treated as outpatient cases based on clinical diagnosis of community-acquired pneumonia," he said.

Gooi said the infection, which causes symptoms such as dry cough, fever and mild shortness of breath on exertion are common among children, especially school-going kids.

"Mycoplasma pneumonia is highly contagious and its symptoms are not specific, so someone might even be walking around with it without symptoms."

Datuk Dr Siti Khadijah
Tun Hamdan

"The bacteria can be transmitted from person to person through respiratory droplets and close contact.

"Common prevention methods are the usual practices for respiratory illness such as practising proper cough etiquette and avoiding crowded areas," Gooi added.

Mycoplasma pneumonia is caused by the bacteria mycoplasma pneumoniae (M pneumoniae) that is typically spread through close contact or respiratory droplets, leading to symptoms ranging from mild cough to severe pneumonia, among others.

Recently, cases related to mycoplasma bacteria, particularly respiratory infections, have been reported to be increasing in some places, due to seasonal factors or outbreaks in close-contact settings.